

Butt splice (C-type Non-insulated/WSC-type Non-insulated, Vinyl or nylon-insulated)

- < Type >
- Batt type
- Non-insulated type



Butt splice (C-type, Nylon-insulated)

- < Type >
- With insulator
- Batt type



Butt splice (C-type, Vinyl-insulated)

- < Type >
- With insulator
- Batt type



Closed-end splice (CE-type/SD-type)

- < Type >
- With insulator
- Closed-end type



Copper Tubular splice (CZ-type)

- < Type >
- Copper tubular type



Oval type splice (CV-type)

- < Type >
- Non-insulated type
- Batt type



Oval type splice (PV-type)

- < Type >
- Non-insulated type
- Parallel type




Parallel splice (P-type, Non-insulated)

- < Type >
- Non-insulated type
- Parallel type



Parallel splice (P-type, Nylon-insulated)

- < Type >
- With insulator
- Parallel type



Parallel splice (P-type, Vinyl-insulated)

- < Type >
- With insulator
- Parallel type



Window type butt splice (CW-type, Non-insulated)

- < Type >
- Non-insulated type
- Butt type



Window type butt splice (CW-type, Nylon-Insulated)

- < Type >
- With insulator
- Butt type



Window type butt splice (CW-type, Nylon-insulated with copper sleeve)

- < Type >
- With insulator
- Batt type

